

Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 1
Run Date: 3 / 23 / 10

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
BCA	750	89.9	1.1	7.2	0.0	0.3	1.6	0.0
BCHD	2,006	72.4	1.3	23.4	0.0	0.1	2.8	0.0
BRSI	2,729	92.9	0.8	3.9	0.1	0.3	1.9	0.0
CAP	2,515	88.1	0.9	9.6	0.1	0.2	1.1	0.0
CCHD	1,068	94.3	0.3	2.6	0.0	0.4	2.4	0.0
CFS	3,982	88.3	0.6	8.4	0.1	0.1	2.5	0.0
DCH	2,364	94.1	0.7	2.7	0.0	0.3	2.1	0.0
DCHD	1,025	64.4	0.6	31.9	0.0	0.8	2.3	0.0
DMH	1,177	95.1	0.6	2.4	0.0	0.8	1.1	0.0
DMHC	4,161	81.7	3.6	6.4	0.1	0.2	8.0	0.0
ECHD	2,606	3.1	33.4	61.7	0.0	0.1	1.7	0.0
ELKCHD	8,433	42.7	9.9	42.6	0.0	0.5	4.3	0.0
FHHC	347	90.5	0.0	7.5	0.0	0.6	1.4	0.0
FLCHD	1,790	66.1	15.9	9.9	0.2	3.2	4.6	0.0
FULCHD	757	86.5	0.8	10.0	0.0	0.1	2.5	0.0
GCRC	1,157	85.7	3.1	3.0	0.2	0.3	7.7	0.0
HCHF	1,503	84.5	4.9	5.7	0.1	2.7	2.2	0.0
HCMH&HS	1,044	87.7	1.7	6.0	0.2	0.3	4.0	0.0
HIS	2,319	88.2	0.6	10.0	0.0	0.1	1.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 2
Run Date: 3 / 23 / 10

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
HU	276	96.4	0.4	1.1	0.0	0.4	1.8	0.0
ICAP	1,406	91.4	1.1	3.6	0.1	0.4	3.4	0.0
IHC	11,336	67.3	7.5	19.6	0.1	0.7	4.8	0.0
JEFCHD	952	81.4	0.6	12.4	0.0	0.4	5.1	0.0
JNHC	1,490	93.6	1.0	2.6	0.0	0.5	2.3	0.0
JOCHD	2,751	80.6	1.4	9.7	0.0	3.8	4.5	0.0
KCHD	1,552	65.1	1.1	31.3	0.1	0.3	2.2	0.0
LCHD	656	82.9	0.8	13.6	0.0	0.3	2.4	0.0
MADCHD	3,380	67.4	12.2	13.0	0.1	0.1	7.2	0.0
MARCHD	31,917	27.8	37.9	28.0	0.2	2.5	3.6	0.0
MARSCHD	1,427	67.3	1.1	29.2	0.0	0.1	2.3	0.0
MCMH	1,570	94.3	0.4	2.2	0.0	0.2	2.9	0.0
MHS	7,658	39.7	27.9	23.6	0.2	1.3	7.4	0.0
MW	2,052	85.1	1.1	6.8	0.3	0.2	6.4	0.0
NCCAA	3,486	59.8	19.7	15.1	0.0	0.4	5.0	0.0
NHC	13,913	45.5	22.5	20.0	0.0	4.9	7.1	0.0
NHS	5,220	71.7	6.1	18.2	0.1	0.6	3.4	0.0
NWFS	19,428	40.2	34.7	21.8	0.1	0.4	2.9	0.0
ODCS	3,017	74.6	12.5	4.0	0.2	0.2	8.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 3
Run Date: 3 / 23 / 10

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
PHNA	3,422	78.2	5.0	6.6	0.0	3.0	7.1	0.0
St Mary's	2,057	91.8	0.6	3.4	0.0	0.1	4.0	0.0
STARCHD	862	90.4	0.1	7.8	0.0	0.0	1.7	0.0
STEUBCHD	1,361	86.1	0.6	10.0	0.0	1.0	2.4	0.0
SVJH	1,263	92.3	2.0	4.9	0.1	0.4	0.3	0.0
TCHD	5,265	53.8	10.0	26.9	0.4	4.8	4.2	0.0
VCHD	4,399	63.7	21.4	6.2	0.0	0.7	8.0	0.0
WCHD	922	93.4	0.8	4.6	0.0	0.4	0.9	0.0
WCMH	1,222	73.9	0.5	23.5	0.0	0.1	2.0	0.0
WICAA	3,272	80.3	6.8	4.0	0.0	0.7	8.2	0.0
WVHS	1,810	80.2	1.2	14.1	0.1	0.0	4.4	0.0
Indiana	181,075	57.8	17.3	19.0	0.1	1.4	4.4	0.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
BCA	750	31.5	26.5	42.0
BCHD	2,006	39.1	20.6	40.2
BRSI	2,729	36.5	19.0	44.4
CAP	2,515	32.0	22.8	45.2
CCHD	1,068	29.4	22.6	48.0
CFS	3,982	38.4	20.3	41.3
DCH	2,364	37.5	19.6	42.9
DCHD	1,025	40.7	18.7	40.6
DMH	1,177	40.8	19.6	39.6
DMHC	4,161	36.9	21.4	41.7
ECHD	2,606	35.5	19.3	45.2
ELKCHD	8,433	33.4	21.8	44.8
FHHC	347	38.9	19.3	41.8
FLCHD	1,790	38.3	20.2	41.5
FULCHD	757	36.5	22.2	41.3
GCRC	1,157	39.3	18.8	41.8
HCHF	1,503	40.5	23.1	36.5
HCMH&HS	1,044	39.2	22.3	38.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 3 / 23 / 10

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
HIS	2,319	37.0	19.7	43.3
HU	276	37.7	21.0	41.3
ICAP	1,406	38.0	17.6	44.5
IHC	11,336	35.9	19.3	44.7
JEFCHD	952	39.2	21.1	39.7
JNHC	1,490	34.3	22.9	42.8
JOCHD	2,751	41.8	18.8	39.4
KCHD	1,552	34.1	25.3	40.6
LCHD	656	34.0	19.5	46.5
MADCHD	3,380	40.4	19.9	39.7
MARCHD	31,917	34.5	26.4	39.0
MARSCHD	1,427	36.5	20.7	42.8
MCMH	1,570	41.2	20.3	38.5
MHS	7,658	31.0	24.2	44.8
MW	2,052	34.0	19.2	46.8
NCCAA	3,486	37.7	19.8	42.5
NHC	13,913	31.8	23.2	45.0
NHS	5,220	37.0	21.0	42.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
NWFS	19,428	38.0	19.0	42.9
ODCS	3,017	40.1	21.1	38.7
PHNA	3,422	37.9	19.1	43.0
St Mary's	2,057	40.3	17.8	41.9
STARCHD	862	33.9	19.5	46.6
STEUBCHD	1,361	28.8	19.3	51.9
SVJH	1,263	32.2	18.1	49.7
TCHD	5,265	34.5	21.3	44.2
VCHD	4,399	42.6	18.4	39.0
WCHD	922	35.4	21.0	43.6
WCMH	1,222	35.4	20.0	44.6
WICAA	3,272	39.3	20.4	40.3
WVHS	1,810	28.5	26.2	45.4
Indiana	181,075	35.9	21.7	42.4
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators												(3,4)	
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
BCA	205	8.3 (21)	4.9 (8)	734	6.5 (30)	2.5 (18)	10.9 (11)	305	13.8 (1)	12.1 (8)		482	15.4 (33)
BCHD	522	8.4 (23)	5.7 (16)	1,891	5.4 (13)	2.3 (12)	11.1 (13)	802	16.2 (14)	14.8 (30)		1,356	8.7 (5)
BRSI	626	12.1 (46)	6.2 (23)	2,671	8.2 (47)	3.0 (31)	12.2 (25)	1,205	17.1 (19)	15.1 (32)		1,943	10.3 (15)
CAP	624	7.5 (9)	6.4 (25)	2,481	6.0 (19)	3.1 (32)	11.6 (19)	1,119	19.5 (43)	15.8 (37)		1,757	14.9 (30)
CCHD	220	3.2 (1)	9.1 (42)	1,055	5.3 (11)	2.3 (12)	15.2 (46)	523	18.7 (37)	18.0 (45)		752	8.0 (3)
CFS	997	9.6 (34)	5.4 (12)	3,939	6.4 (26)	3.1 (32)	10.6 (7)	1,623	14.5 (7)	13.5 (15)		2,812	15.7 (35)
DCH	569	6.9 (8)	6.7 (28)	2,330	5.4 (13)	3.1 (32)	11.3 (15)	1,013	19.1 (40)	15.1 (32)		1,645	13.9 (26)
DCHD	264	9.5 (32)	6.8 (30)	997	6.0 (19)	2.9 (29)	10.5 (6)	404	17.6 (27)	14.1 (18)		738	9.5 (8)
DMH	316	6.6 (5)	3.5 (3)	1,155	6.9 (36)	2.5 (18)	12.1 (24)	460	17.6 (27)	13.0 (12)		819	9.5 (8)
DMHC	1,073	8.1 (17)	5.1 (10)	4,070	6.3 (24)	3.2 (37)	11.4 (17)	1,705	18.1 (32)	13.3 (13)		2,814	17.0 (40)
ECHD	632	12.2 (47)	6.3 (24)	2,547	6.4 (26)	2.5 (18)	13.8 (41)	1,151	17.1 (19)	14.1 (18)		1,878	12.6 (24)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)											
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
ELKCHD	1,976	7.7 (11)	7.3 (34)	8,307	5.0 (8)	1.8 (5)	12.2 (25)	3,750	18.2 (35)	15.5 (36)	6,010 7.0 (2)
FHHC	91	* *	* *	341	7.0 (38)	2.3 (12)	12.0 (22)	144	18.1 (32)	10.4 (1)	246 15.4 (33)
FLCHD	428	10.5 (39)	3.7 (4)	1,761	7.4 (44)	2.3 (12)	15.4 (47)	743	20.2 (46)	17.6 (44)	1,214 15.0 (31)
FULCHD	184	9.2 (28)	3.3 (2)	749	5.3 (11)	3.2 (37)	12.7 (31)	312	17.3 (25)	17.3 (41)	539 18.9 (46)
GCRC	289	9.0 (26)	3.8 (5)	1,140	6.4 (26)	1.9 (7)	11.8 (20)	477	14.9 (8)	14.5 (27)	807 10.9 (17)
HCHF	433	8.1 (17)	8.1 (40)	1,479	5.7 (17)	4.3 (46)	10.4 (4)	538	19.9 (44)	11.7 (6)	950 16.7 (38)
HCMH&HS	256	8.2 (20)	6.6 (27)	1,031	7.9 (46)	1.2 (2)	12.9 (35)	390	15.6 (11)	11.3 (4)	729 14.3 (28)
HIS	530	6.6 (5)	6.8 (30)	2,271	4.8 (6)	1.8 (5)	13.9 (42)	988	17.7 (29)	17.5 (43)	1,639 9.4 (7)
HU	60	* *	* *	271	5.2 (10)	2.6 (24)	11.8 (20)	113	15.0 (9)	10.6 (2)	204 5.4 (1)
ICAP	355	10.7 (40)	5.9 (18)	1,379	5.1 (9)	4.1 (44)	8.5 (1)	607	14.2 (4)	11.5 (5)	1,040 9.8 (10)
IHC	2,566	9.1 (27)	6.4 (25)	11,010	6.5 (30)	2.8 (27)	13.3 (37)	4,982	16.9 (18)	15.8 (37)	8,134 17.6 (43)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
JEFCHD	245	9.4 (30)	7.3 (34)	936	7.3 (43)	2.1 (9)	15.0 (45)	374	21.1 (48)	21.1 (49)		650	10.9 (17)
JNHC	356	7.6 (10)	9.3 (44)	1,473	5.6 (16)	3.1 (32)	12.5 (29)	637	19.2 (41)	15.9 (39)		1,063	9.8 (10)
JOCHD	737	8.0 (15)	7.1 (32)	2,653	4.7 (3)	3.7 (43)	10.2 (2)	1,069	15.9 (12)	13.5 (15)		1,889	10.0 (13)
KCHD	374	8.8 (24)	6.7 (28)	1,499	7.4 (44)	1.7 (3)	14.3 (43)	632	20.4 (47)	18.0 (45)		1,017	10.6 (16)
LCHD	126	9.5 (32)	7.9 (37)	649	6.3 (24)	1.7 (3)	10.9 (11)	309	22.7 (49)	15.2 (34)		491	11.0 (20)
MADCHD	935	10.2 (37)	6.0 (20)	3,278	8.7 (48)	2.6 (24)	12.6 (30)	1,327	16.7 (16)	13.6 (17)		2,239	21.2 (48)
MARCHD	9,403	9.9 (36)	5.9 (18)	31,307	6.4 (26)	4.8 (48)	12.3 (27)	12,271	16.6 (15)	14.3 (23)		19,635	17.4 (42)
MARSCHD	340	9.4 (30)	7.6 (36)	1,394	7.0 (38)	1.1 (1)	17.1 (48)	605	18.8 (38)	18.2 (47)		1,024	8.1 (4)
MCMH	406	6.2 (2)	5.4 (12)	1,523	6.6 (34)	2.1 (9)	13.7 (39)	599	17.7 (29)	14.4 (25)		1,084	18.5 (45)
MHS	1,884	8.1 (17)	7.9 (37)	7,514	4.8 (6)	3.6 (42)	10.3 (3)	3,365	14.4 (6)	10.8 (3)		5,037	16.7 (38)
MW	453	9.3 (29)	7.1 (32)	2,012	6.0 (19)	2.5 (18)	10.6 (7)	950	15.4 (10)	12.2 (9)		1,468	10.9 (17)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 10
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
NCCAA	861	10.9 (42)	5.1 (10)	3,412	7.2 (42)	2.4 (16)	14.8 (44)	1,465	18.8 (38)	14.5 (27)	2,414	12.3 (23)	
NHC	3,388	8.9 (25)	5.4 (12)	13,676	6.5 (30)	3.2 (37)	13.0 (36)	6,174	17.2 (22)	14.3 (23)	9,658	17.3 (41)	
NHS	1,319	8.0 (15)	5.0 (9)	5,134	6.5 (30)	2.4 (16)	12.8 (32)	2,138	18.3 (36)	17.3 (41)	3,678	15.0 (31)	
NWFS	4,739	9.7 (35)	5.8 (17)	18,928	5.5 (15)	3.3 (41)	10.8 (9)	8,209	14.0 (3)	11.8 (7)	13,714	16.0 (37)	
ODCS	852	10.7 (40)	3.8 (5)	2,948	6.2 (23)	7.3 (49)	10.4 (4)	1,152	13.9 (2)	12.6 (10)	2,079	20.2 (47)	
PHNA	786	6.4 (3)	8.0 (39)	3,364	5.9 (18)	2.2 (11)	12.8 (32)	1,478	17.3 (25)	15.3 (35)	2,407	11.8 (21)	
St Mary's	534	11.4 (44)	6.0 (20)	1,988	11.6 (49)	2.8 (27)	17.4 (49)	837	16.1 (13)	14.1 (18)	1,399	13.0 (25)	
STARCHD	191	7.9 (14)	9.9 (46)	843	4.0 (1)	2.0 (8)	13.3 (37)	386	19.9 (44)	14.2 (21)	659	15.9 (36)	
STEUBCHD	251	6.8 (7)	9.2 (43)	1,340	4.2 (2)	4.2 (45)	11.4 (17)	702	17.8 (31)	14.8 (30)	1,010	8.8 (6)	
SVJH	275	6.5 (4)	9.8 (45)	1,241	7.0 (38)	2.9 (29)	12.8 (32)	609	14.3 (5)	12.8 (11)	924	21.3 (49)	
TCHD	1,244	7.7 (11)	10.0 (47)	5,173	4.7 (3)	3.2 (37)	12.0 (22)	2,316	17.2 (22)	14.4 (25)	3,753	14.4 (29)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)											
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
VCHD	1,208	11.2 (43)	4.0 (7)	4,262	6.1 (22)	2.6 (24)	10.8 (9)	1,673	17.2 (22)	13.4 (14)	2,960 9.8 (10)
WCHD	220	11.4 (44)	5.5 (15)	902	6.9 (36)	4.7 (47)	12.4 (28)	392	19.4 (42)	17.1 (40)	654 18.3 (44)
WCMH	301	8.3 (21)	8.6 (41)	1,199	4.7 (3)	3.1 (32)	11.3 (15)	544	16.7 (16)	14.2 (21)	896 14.1 (27)
WICAA	885	7.8 (13)	6.1 (22)	3,221	6.6 (34)	2.5 (18)	11.2 (14)	1,293	18.1 (32)	14.6 (29)	2,230 11.8 (21)
WVHS	433	10.2 (37)	3.2 (1)	1,782	7.0 (38)	2.5 (18)	13.7 (39)	811	17.1 (19)	19.2 (48)	1,195 10.1 (14)
Indiana	45,962	9.1	6.2	177,260	6.2	3.3	12.2	75,671	16.8	14.3	123,735 14.7
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8	4,916,523 14.9

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 12
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
BCA	206	49.0 (44)	74	* *	148	7.4 (33)	51	* *	72	* *
BCHD	522	63.2 (23)	208	25.0 (13)	355	8.2 (26)	114	23.7 (6)	208	13.5 (4)
BRSI	625	66.1 (17)	253	20.6 (20)	480	10.2 (15)	147	22.4 (8)	247	10.5 (9)
CAP	625	55.2 (40)	230	19.1 (26)	445	7.6 (32)	147	17.0 (21)	225	8.4 (22)
CCHD	219	55.7 (38)	109	19.3 (25)	201	7.0 (34)	66	* *	108	10.2 (11)
CFS	998	66.9 (12)	389	21.9 (17)	721	8.7 (20)	243	21.0 (12)	384	10.4 (10)
DCH	573	51.7 (43)	221	10.0 (41)	397	5.5 (41)	144	11.8 (30)	217	5.1 (37)
DCHD	265	67.9 (10)	101	36.6 (1)	188	16.0 (3)	85	* *	99	* *
DMH	317	62.1 (25)	102	13.7 (38)	202	4.5 (45)	63	* *	102	3.9 (39)
DMHC	1,072	57.6 (35)	373	17.7 (31)	749	8.7 (20)	226	14.2 (25)	369	6.5 (32)
ECHD	634	59.8 (31)	242	25.6 (12)	443	13.8 (5)	139	5.8 (31)	241	3.7 (40)
ELKCHD	1,979	73.3 (3)	767	33.9 (4)	1,499	13.0 (8)	505	16.4 (22)	761	9.5 (16)
FHHC	91	* *	36	* *	59	* *	18	* *	36	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 13
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
FLCHD	427	65.1 (19)	180	17.8 (30)	318	7.9 (29)	125	12.8 (28)	178	7.3 (29)	781	70.9 (40)	1,704	49.5 (36)
FULCHD	186	62.4 (24)	74	* *	139	5.0 (43)	46	* *	72	* *	334	81.1 (9)	726	19.1 (8)
GCRC	290	44.5 (47)	113	12.4 (40)	206	4.4 (47)	63	* *	111	8.1 (26)	509	73.5 (30)	1,116	49.0 (35)
HCHF	432	66.2 (16)	178	28.7 (8)	264	12.1 (11)	116	28.4 (2)	176	16.5 (3)	584	81.5 (7)	1,464	38.7 (21)
HCMH&HS	256	66.0 (18)	109	29.4 (7)	214	8.4 (25)	67	* *	106	17.9 (2)	430	74.2 (25)	985	24.6 (11)
HIS	533	60.2 (28)	182	20.3 (21)	397	5.8 (38)	115	21.7 (10)	181	9.9 (12)	1,067	76.4 (21)	2,199	52.2 (44)
HU	58	* *	28	* *	61	* *	22	* *	28	* *	122	95.1 (1)	265	38.9 (22)
ICAP	356	67.1 (11)	146	24.0 (16)	270	7.8 (30)	99	* *	144	13.2 (6)	651	71.1 (39)	1,366	52.0 (43)
IHC	2,568	60.1 (29)	1,067	21.3 (18)	2,081	9.4 (19)	662	19.3 (15)	1,058	9.7 (15)	5,411	71.6 (37)	10,912	29.6 (15)
JEFCHD	241	66.4 (14)	82	* *	162	8.6 (23)	64	* *	82	* *	402	78.4 (16)	904	16.9 (6)
JNHC	361	64.8 (20)	147	18.4 (28)	280	10.0 (18)	109	17.4 (19)	143	6.3 (34)	678	79.4 (12)	1,456	52.6 (45)
JOCHD	743	69.0 (9)	284	26.4 (11)	470	10.6 (14)	180	23.9 (5)	283	9.9 (12)	1,135	77.6 (19)	2,623	35.4 (19)
KCHD	375	70.1 (7)	177	35.0 (2)	317	13.6 (6)	136	20.6 (13)	177	9.0 (19)	675	73.6 (28)	1,521	42.5 (25)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 14
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
LCHD	127	69.3 (8)	62	* *	110	12.7 (9)	31	* *	61	* *
MADCHD	931	57.9 (34)	310	24.2 (15)	548	12.2 (10)	191	24.6 (4)	308	13.0 (7)
MARCHD	9,426	59.9 (30)	3,389	27.4 (9)	6,257	12.1 (11)	2,359	12.0 (29)	3,332	6.2 (35)
MARSDCHD	340	66.5 (13)	159	20.1 (23)	275	10.2 (15)	105	24.8 (3)	159	8.2 (24)
MCMH	407	60.4 (27)	153	15.0 (35)	289	4.8 (44)	106	17.9 (18)	147	9.5 (16)
MHS	1,887	70.6 (6)	709	29.9 (6)	1,395	14.9 (4)	460	19.6 (14)	707	9.2 (18)
MW	455	59.6 (32)	206	17.5 (32)	387	5.9 (37)	99	* *	206	8.7 (20)
NCCAA	863	56.2 (37)	324	31.5 (5)	582	16.5 (2)	207	21.3 (11)	320	12.8 (8)
NHC	3,382	56.9 (36)	1,327	20.3 (21)	2,594	8.7 (20)	868	14.7 (24)	1,293	8.2 (24)
NHS	1,320	64.4 (22)	549	20.0 (24)	960	10.1 (17)	340	17.1 (20)	543	8.3 (23)
NWFS	4,749	64.7 (21)	1,768	21.3 (18)	3,457	8.6 (23)	1,177	13.4 (27)	1,745	7.3 (29)
ODCS	862	55.7 (38)	271	14.8 (36)	498	6.4 (36)	179	23.5 (7)	266	6.0 (36)
PHNA	789	71.2 (4)	291	26.8 (10)	606	13.4 (7)	197	21.8 (9)	289	13.5 (4)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 15
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
St Mary""s	534	53.4 (42)	201	16.9 (33)	335	6.9 (35)	128	18.8 (16)	201	7.5 (27)	902	77.1 (20)	1,967	50.5 (38)
STARCHD	189	61.9 (26)	78	* *	176	8.0 (27)	52	* *	73	* *	423	78.7 (14)	840	53.1 (46)
STEUBCHD	254	79.5 (1)	110	19.1 (26)	231	5.6 (40)	54	* *	110	4.5 (38)	752	79.8 (10)	1,326	51.7 (41)
SVJH	276	58.0 (33)	123	17.9 (29)	223	5.8 (38)	60	* *	122	9.8 (14)	659	78.0 (17)	1,238	50.9 (39)
TCHD	1,250	75.0 (2)	525	34.1 (3)	985	18.3 (1)	335	29.0 (1)	516	22.1 (1)	2,481	74.7 (22)	5,096	28.2 (13)
VCHD	1,211	48.1 (46)	436	13.1 (39)	790	5.1 (42)	260	15.8 (23)	432	7.4 (28)	1,817	68.3 (44)	4,139	13.0 (3)
WCHD	220	70.9 (5)	96	* *	163	8.0 (27)	88	* *	95	* *	420	78.6 (15)	881	49.6 (37)
WCMH	303	66.3 (15)	116	25.0 (13)	211	11.4 (13)	75	* *	115	8.7 (20)	595	85.9 (2)	1,186	16.3 (5)
WICAA	886	54.5 (41)	333	14.7 (37)	554	4.5 (45)	219	18.3 (17)	328	7.0 (31)	1,396	66.0 (46)	3,167	47.7 (31)
WVHS	435	49.0 (44)	173	16.2 (34)	333	7.8 (30)	104	13.5 (26)	173	6.4 (33)	872	81.9 (6)	1,796	33.5 (17)
Indiana	46,048	61.9	17,581	23.5	33,025	10.2	11,446	17.2	17,349	8.8	78,985	71.9	172,886	31.5
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
BCA	605	9.4 (35)	6.4 (29)	2,076	5.7 (13)	3.4 (37)	9.4 (2)	839	15.3 (9)	12.0 (6)		1,306	21.1 (48)
BCHD	1,610	8.7 (24)	7.5 (38)	5,358	5.6 (11)	2.5 (14)	10.6 (7)	2,140	16.5 (15)	14.3 (21)		3,714	9.9 (9)
BRSI	1,911	9.8 (40)	5.5 (14)	7,753	7.7 (45)	2.4 (10)	12.4 (28)	3,319	18.2 (42)	15.8 (39)		5,656	11.2 (14)
CAP	1,737	7.9 (12)	7.6 (40)	6,907	6.2 (21)	2.7 (18)	12.0 (24)	3,044	19.6 (48)	16.6 (43)		4,834	15.0 (30)
CCHD	663	6.6 (2)	8.0 (46)	3,105	5.2 (5)	3.1 (29)	13.1 (40)	1,548	17.5 (30)	15.1 (29)		2,218	9.7 (7)
CFS	2,850	9.3 (33)	5.5 (14)	10,658	6.7 (31)	2.9 (24)	9.6 (4)	4,329	14.6 (6)	12.2 (8)		7,526	15.4 (31)
Closed	308	9.7 (39)	5.8 (19)	1,077	8.4 (47)	4.1 (45)	11.3 (16)	358	14.8 (8)	15.4 (33)		759	10.5 (12)
DCH	1,704	8.3 (20)	6.5 (31)	6,780	5.4 (9)	3.0 (27)	10.9 (13)	2,865	17.3 (26)	13.5 (15)		4,877	15.4 (31)
DCHD	701	7.7 (7)	6.8 (33)	2,635	5.9 (16)	3.2 (30)	10.7 (8)	1,049	17.0 (21)	15.3 (32)		1,914	9.6 (6)
DMH	902	7.5 (5)	5.7 (18)	3,314	6.2 (21)	2.1 (6)	11.6 (21)	1,311	16.6 (17)	14.6 (25)		2,294	9.9 (9)
DMHC	3,007	8.4 (21)	6.2 (25)	11,325	6.2 (21)	3.3 (34)	11.5 (19)	4,658	18.1 (40)	14.4 (23)		7,795	19.3 (45)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators												(3,4)	
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
ECHD	1,831	11.4 (49)	5.6 (16)	7,031	6.0 (18)	2.9 (24)	13.5 (42)	3,082	16.8 (18)	14.8 (28)		4,894	11.7 (19)
ELKCHD	5,865	7.9 (12)	7.5 (38)	22,638	5.2 (5)	1.9 (4)	11.8 (23)	9,712	17.9 (36)	15.4 (33)		15,595	7.3 (4)
FHHC	279	5.4 (1)	4.3 (2)	1,061	6.0 (18)	4.4 (46)	10.7 (8)	430	13.3 (1)	10.9 (3)		759	13.3 (27)
FLCHD	1,271	11.0 (48)	4.6 (5)	5,003	8.2 (46)	2.4 (10)	14.5 (48)	1,986	17.6 (33)	16.1 (42)		3,552	14.2 (29)
FULCHD	536	8.0 (17)	5.2 (10)	1,950	5.2 (5)	3.8 (42)	12.5 (33)	801	17.1 (22)	18.9 (49)		1,363	15.9 (33)
GCRC	794	8.7 (24)	3.7 (1)	3,210	6.2 (21)	2.8 (20)	11.4 (17)	1,304	17.2 (24)	12.6 (9)		2,295	9.8 (8)
HCHF	1,320	8.2 (19)	7.7 (41)	3,914	7.4 (43)	4.7 (48)	11.6 (21)	1,330	17.9 (36)	13.8 (17)		2,389	18.4 (43)
HCMH&HS	840	9.0 (29)	6.2 (25)	2,852	9.5 (49)	1.5 (2)	14.0 (45)	998	18.1 (40)	15.2 (30)		1,938	17.9 (42)
HIS	1,621	7.1 (3)	7.1 (34)	6,413	6.1 (20)	2.4 (10)	13.6 (43)	2,654	16.5 (15)	17.4 (46)		4,556	11.5 (15)
HU	189	7.9 (12)	4.8 (6)	729	6.6 (28)	1.5 (2)	10.8 (11)	298	14.1 (3)	9.7 (1)		525	5.9 (1)
ICAP	979	9.3 (33)	6.4 (29)	3,752	4.0 (1)	4.5 (47)	7.7 (1)	1,639	13.4 (2)	10.1 (2)		2,810	10.0 (11)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 18
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)		
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
IHC	7,774	9.0 (29)	6.1 (22)		30,802	6.3 (26)	3.2 (30)	12.5 (33)		13,226	16.8 (18)	15.7 (37)	22,406	16.5 (35)
JEFCHD	697	8.6 (22)	7.7 (41)		2,572	7.3 (41)	3.0 (27)	14.0 (45)		1,018	21.0 (50)	21.0 (50)	1,775	12.5 (23)
JNHC	1,101	8.1 (18)	8.5 (49)		4,315	6.8 (32)	3.5 (39)	12.4 (28)		1,832	16.9 (20)	14.5 (24)	3,085	6.9 (3)
JOCHD	2,054	7.6 (6)	7.4 (37)		7,238	4.9 (2)	3.6 (41)	9.4 (2)		2,838	15.4 (10)	12.7 (10)	5,087	12.0 (21)
KCHD	1,208	8.7 (24)	6.7 (32)		4,359	6.6 (28)	1.9 (4)	13.4 (41)		1,731	18.9 (46)	17.6 (47)	2,960	11.5 (15)
LCHD	393	10.7 (46)	5.3 (12)		1,678	5.8 (14)	2.4 (10)	9.8 (6)		723	20.2 (49)	13.3 (13)	1,205	9.0 (5)
MADCHD	2,747	8.7 (24)	5.8 (19)		9,314	8.4 (47)	2.3 (8)	12.1 (26)		3,632	18.0 (38)	13.2 (12)	6,305	20.6 (47)
MARCHD	26,976	10.0 (42)	6.2 (25)		82,629	6.9 (34)	4.8 (49)	12.4 (28)		30,010	16.4 (13)	14.7 (26)	50,107	16.9 (36)
MARSCHD	1,007	7.7 (7)	7.8 (44)		3,893	7.0 (36)	1.0 (1)	16.0 (49)		1,648	19.0 (47)	17.9 (48)	2,824	6.8 (2)
MCMH	1,263	7.7 (7)	5.1 (9)		4,447	6.6 (28)	2.6 (16)	12.5 (33)		1,715	18.0 (38)	14.3 (21)	3,131	18.8 (44)
MHS	5,657	9.5 (36)	7.1 (34)		21,046	5.3 (8)	3.3 (34)	10.7 (8)		8,880	14.7 (7)	12.1 (7)	13,902	16.4 (34)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators												(3,4)			
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)				
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
MW	1,343	9.5 (36)	6.1 (22)		5,489	6.3 (26)	2.5 (14)	11.4 (17)		2,476	15.6 (11)	13.6 (16)		4,000	11.5 (15)
NCCAA	2,506	10.7 (46)	4.9 (7)		9,126	7.2 (39)	2.8 (20)	13.8 (44)		3,792	17.2 (24)	14.2 (19)		6,204	13.2 (26)
NHC	9,651	9.5 (36)	4.9 (7)		36,552	7.0 (36)	3.3 (34)	12.4 (28)		15,999	17.3 (26)	13.9 (18)		25,503	19.7 (46)
NHS	3,278	8.6 (22)	5.2 (10)		11,823	7.4 (43)	2.3 (8)	12.5 (33)		4,652	18.7 (45)	17.1 (45)		8,302	13.1 (25)
NWFS	13,930	10.4 (44)	5.8 (19)		54,172	5.9 (16)	3.5 (39)	10.8 (11)		22,965	14.2 (4)	11.7 (4)		39,035	17.0 (38)
ODCS	2,407	10.5 (45)	4.4 (4)		8,264	6.2 (21)	6.4 (50)	9.7 (5)		3,114	14.2 (4)	11.8 (5)		5,572	17.1 (40)
PHNA	2,427	7.9 (12)	7.7 (41)		9,629	5.8 (14)	2.8 (20)	12.4 (28)		4,065	18.2 (42)	15.9 (40)		6,808	13.4 (28)
St Mary's	1,531	9.9 (41)	5.6 (16)		5,791	12.3 (50)	3.4 (37)	17.5 (50)		2,408	17.5 (30)	14.7 (26)		4,118	11.9 (20)
STARCHD	585	7.2 (4)	8.2 (47)		2,330	5.5 (10)	2.1 (6)	14.0 (45)		1,005	18.4 (44)	16.0 (41)		1,778	17.0 (38)
STEUBCHD	833	7.9 (12)	7.3 (36)		3,925	5.0 (3)	3.8 (42)	11.2 (15)		1,924	17.6 (33)	14.2 (19)		2,876	11.6 (18)
SVJH	771	9.1 (32)	7.8 (44)		3,397	7.2 (39)	2.9 (24)	12.9 (38)		1,632	15.7 (12)	13.1 (11)		2,569	21.1 (48)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 20
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
TCHD	3,709	7.7 (7)	8.7 (50)	14,616	5.0 (3)	3.2 (30)	12.3 (27)	6,347	17.3 (26)	15.2 (30)		10,555	16.9 (36)
VCHD	3,495	11.5 (50)	5.4 (13)	12,171	7.0 (36)	2.7 (18)	10.9 (13)	4,491	16.4 (13)	13.3 (13)		8,372	10.5 (12)
WCHD	633	9.0 (29)	6.2 (25)	2,346	6.9 (34)	3.8 (42)	12.0 (24)	995	17.5 (30)	15.6 (35)		1,676	17.4 (41)
WCMH	797	7.8 (11)	8.3 (48)	3,248	5.6 (11)	2.6 (16)	12.5 (33)	1,386	17.1 (22)	15.7 (37)		2,405	22.7 (50)
WICAA	2,644	8.9 (28)	6.1 (22)	9,101	6.8 (32)	3.2 (30)	11.5 (19)	3,460	17.4 (29)	15.6 (35)		6,142	12.3 (22)
WVHS	1,401	10.3 (43)	4.3 (2)	5,074	7.3 (41)	2.8 (20)	13.0 (39)	2,172	17.8 (35)	17.0 (44)		3,310	12.7 (24)
Indiana	134,341	9.3	6.2	488,888	6.5	3.4	12.0	199,830	16.6	14.3		335,581	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 21
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
BCA	675	56.4 (40)	391	21.7 (13)	437	9.4 (17)	375	14.1 (11)	386	7.3 (19)	897	74.5 (15)	1,269	49.6 (40)
BCHD	1,792	64.3 (21)	1,148	18.3 (21)	1,123	8.8 (22)	1,067	12.4 (23)	1,124	7.5 (17)	2,257	62.3 (44)	3,257	46.2 (32)
BRSI	2,105	66.5 (12)	1,596	15.7 (33)	1,617	8.3 (26)	1,402	13.3 (16)	1,562	7.9 (14)	3,582	72.4 (23)	4,383	47.1 (34)
CAP	1,984	58.5 (34)	1,302	17.0 (28)	1,437	8.1 (28)	1,219	10.9 (33)	1,280	6.5 (30)	3,267	78.5 (8)	3,996	47.4 (35)
CCHD	716	58.2 (37)	549	16.4 (31)	615	7.5 (34)	503	8.7 (45)	541	6.7 (26)	1,624	68.8 (34)	1,673	51.5 (44)
CFS	3,182	66.0 (14)	2,119	17.5 (25)	2,152	8.0 (29)	1,969	15.0 (7)	2,058	8.2 (13)	4,646	73.1 (19)	6,155	34.2 (21)
Closed	149	49.7 (47)	160	16.9 (29)	166	7.2 (35)	133	6.8 (49)	154	3.2 (49)	381	60.6 (45)	688	32.6 (20)
DCH	1,886	51.4 (45)	1,363	9.0 (49)	1,359	4.6 (48)	1,247	8.2 (47)	1,331	4.9 (44)	3,045	81.0 (4)	3,856	55.0 (49)
DCHD	807	72.4 (3)	587	29.3 (1)	566	14.5 (4)	530	13.0 (18)	557	6.5 (30)	1,141	70.6 (30)	1,553	36.2 (25)
DMH	1,006	66.5 (12)	660	15.5 (34)	670	7.8 (32)	608	11.7 (28)	650	6.9 (25)	1,415	77.4 (10)	1,933	46.9 (33)
DMHC	3,335	58.6 (33)	2,297	16.6 (30)	2,349	9.0 (20)	2,114	9.7 (40)	2,250	4.7 (46)	5,001	69.9 (32)	6,627	45.9 (29)
ECHD	2,021	59.6 (28)	1,282	22.5 (12)	1,402	11.7 (10)	1,187	3.5 (50)	1,252	2.2 (50)	3,290	36.0 (50)	4,082	9.3 (2)
ELKCHD	6,550	70.9 (5)	4,353	28.2 (4)	4,684	12.7 (7)	4,046	12.3 (25)	4,218	6.2 (33)	10,423	71.9 (25)	12,900	19.9 (4)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 22
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
FHHC	305	53.4 (44)	225	12.0 (45)	218	6.4 (41)	203	9.4 (42)	224	5.8 (34)	456	72.8 (21)	613	53.7 (48)
FLCHD	1,480	61.0 (24)	1,069	13.1 (42)	1,045	8.0 (29)	959	9.9 (39)	1,016	5.1 (43)	2,114	73.6 (17)	2,928	46.0 (30)
FULCHD	587	58.4 (35)	388	15.2 (36)	391	8.2 (27)	369	11.9 (26)	378	6.6 (29)	839	68.8 (34)	1,110	21.9 (7)
GCRC	926	45.9 (50)	694	10.7 (48)	668	4.6 (48)	621	10.3 (38)	679	5.7 (37)	1,402	72.9 (20)	1,874	49.3 (39)
HCHF	1,506	67.5 (11)	891	23.2 (9)	821	13.6 (6)	850	18.2 (5)	857	10.3 (5)	1,427	83.1 (3)	2,544	34.3 (22)
HCMH&HS	979	64.7 (18)	648	18.5 (19)	639	8.0 (29)	622	18.3 (4)	638	8.8 (9)	1,064	72.8 (21)	1,746	27.2 (11)
HIS	1,823	59.7 (26)	1,309	14.5 (37)	1,338	6.7 (39)	1,161	10.5 (37)	1,272	5.7 (37)	2,860	71.5 (28)	3,676	51.5 (44)
HU	201	53.7 (43)	152	15.8 (32)	163	8.6 (25)	137	12.4 (23)	147	10.2 (6)	318	92.1 (1)	398	29.9 (16)
ICAP	1,067	68.7 (7)	732	17.1 (27)	755	7.2 (35)	681	15.0 (7)	714	9.7 (7)	1,772	59.8 (46)	2,143	51.1 (43)
IHC	8,639	59.7 (26)	6,315	17.9 (22)	6,534	8.9 (21)	5,784	11.4 (31)	6,154	6.7 (26)	14,285	71.8 (27)	17,443	28.6 (13)
JEFCHD	767	64.5 (19)	513	20.7 (15)	532	10.2 (14)	478	14.0 (12)	499	9.2 (8)	1,115	75.1 (12)	1,491	31.9 (19)
JNHC	1,169	62.8 (23)	850	15.3 (35)	881	7.6 (33)	780	10.9 (33)	821	6.5 (30)	1,963	78.2 (9)	2,450	50.9 (42)
JOCHD	2,340	65.9 (16)	1,571	20.4 (16)	1,491	9.7 (16)	1,459	14.5 (10)	1,521	7.2 (22)	2,930	67.2 (37)	4,448	21.5 (6)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 23
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
KCHD	1,399	68.0 (9)	927	26.2 (7)	966	11.9 (8)	910	12.5 (22)	916	7.4 (18)	1,841	70.2 (31)	2,668	40.7 (27)
LCHD	488	66.0 (14)	354	17.8 (23)	369	10.0 (15)	326	17.8 (6)	351	10.5 (4)	772	76.8 (11)	1,005	47.5 (36)
MADCHD	3,019	55.7 (41)	1,809	17.8 (23)	1,883	9.1 (19)	1,712	12.7 (21)	1,792	7.6 (16)	3,828	67.8 (36)	5,576	47.8 (37)
MARCHD	29,118	60.0 (25)	17,215	23.2 (9)	18,560	11.4 (11)	16,333	9.5 (41)	16,591	5.8 (34)	29,141	65.5 (40)	48,642	20.0 (5)
MARSCHD	1,127	67.8 (10)	794	21.4 (14)	798	11.4 (11)	737	14.7 (9)	777	8.4 (11)	1,770	66.1 (38)	2,245	9.1 (1)
MCMH	1,403	58.4 (35)	968	11.4 (46)	949	4.7 (47)	899	10.8 (35)	947	5.8 (34)	1,831	79.1 (6)	2,671	55.4 (50)
MHS	6,316	69.2 (6)	4,152	26.9 (5)	4,502	13.9 (5)	3,896	13.1 (17)	4,070	8.4 (11)	9,471	71.1 (29)	12,163	15.4 (3)
MW	1,472	59.5 (30)	1,082	14.1 (38)	1,128	6.4 (41)	984	12.8 (19)	1,067	6.7 (26)	2,656	69.6 (33)	3,081	35.7 (24)
NCCAA	2,789	57.4 (39)	1,812	28.6 (3)	1,883	15.7 (2)	1,650	11.8 (27)	1,733	8.5 (10)	3,566	44.0 (49)	5,369	34.6 (23)
NHC	10,572	59.4 (31)	7,080	18.8 (18)	7,819	9.2 (18)	6,533	11.5 (29)	6,859	7.3 (19)	16,947	65.3 (41)	20,838	31.4 (18)
NHS	4,007	59.6 (28)	2,613	18.5 (19)	2,620	8.7 (23)	2,481	11.0 (32)	2,563	7.0 (24)	5,024	73.3 (18)	6,902	41.1 (28)
NWFS	15,515	64.4 (20)	10,953	17.4 (26)	10,952	8.7 (23)	9,935	9.3 (43)	10,662	5.4 (41)	24,642	63.8 (43)	31,629	24.8 (9)
ODCS	2,615	58.7 (32)	1,676	14.1 (38)	1,675	6.4 (41)	1,555	13.4 (15)	1,611	7.3 (19)	2,356	71.9 (25)	4,110	28.1 (12)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 24
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
PHNA	2,690	72.3 (4)	1,949	26.3 (6)	1,976	15.7 (2)	1,719	19.2 (3)	1,856	12.7 (3)	3,316	85.7 (2)	4,690	28.8 (14)
St Mary's	1,722	49.8 (46)	1,121	13.5 (40)	1,144	7.2 (35)	1,045	11.5 (29)	1,097	5.6 (40)	2,606	59.4 (47)	3,452	53.6 (47)
STARCHD	641	64.1 (22)	515	13.4 (41)	514	6.6 (40)	463	13.6 (14)	498	7.8 (15)	1,086	72.3 (24)	1,288	53.0 (46)
STEUBCHD	935	72.8 (2)	708	19.1 (17)	774	7.2 (35)	646	12.8 (19)	701	5.3 (42)	2,079	75.0 (13)	2,083	50.4 (41)
SVJH	851	54.8 (42)	639	10.8 (47)	675	3.9 (50)	567	10.8 (35)	636	5.7 (37)	1,766	79.2 (5)	1,862	49.2 (38)
TCHD	4,077	74.4 (1)	2,854	28.7 (2)	3,029	16.1 (1)	2,580	22.6 (1)	2,730	15.5 (1)	6,819	75.0 (13)	8,083	24.9 (10)
VCHD	3,876	46.2 (49)	2,616	8.9 (50)	2,601	4.8 (46)	2,384	8.7 (45)	2,572	4.5 (47)	4,838	52.4 (48)	7,198	22.5 (8)
WCHD	718	68.7 (7)	495	23.8 (8)	471	11.9 (8)	478	21.8 (2)	481	13.3 (2)	1,050	74.0 (16)	1,366	46.0 (30)
WCMH	882	65.4 (17)	644	23.0 (11)	685	11.1 (13)	569	13.9 (13)	628	7.2 (22)	1,510	78.7 (7)	1,797	30.5 (17)
WICAA	2,918	58.1 (38)	1,847	12.8 (43)	1,893	5.9 (44)	1,713	9.3 (43)	1,804	4.9 (44)	3,706	64.8 (42)	5,350	29.6 (15)
WVHS	1,563	48.8 (48)	955	12.8 (43)	1,092	5.4 (45)	921	8.0 (48)	941	4.3 (48)	2,303	65.8 (39)	3,025	36.9 (26)
Unknown Local Ag.	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *	3	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Indiana

Page: 25
Run Date: 3 / 23 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)		≤2 Hours TV Viewing/Day (8)	Smoking in Household						
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%				
	(Rank)		(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		(Rank)					
Indiana	148,710	61.7	98,942	19.7	103,011	9.8	91,540	11.6	96,166	6.8	208,438	68.2	282,332	30.5

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

